VELTIA LABS FOR LIFE
A Tentamus Company

Αρ.Πιστ. 44

ΕΚΘΕΣΗ ΔΟΚΙΜΩΝ

Κωδικός δείγματος: **2026-132963**
Αριθμός Έκθεσης: **05-13222/10.11.2026/GR**

Στοιχεία Πελάτη:	
Όνομα	ΔΗΜΑΝΗΣ ΠΑΝΑΓΙΩΤΗΣ
Διεύθυνση	ΒΑΛΑΝΙΔΑ ΕΛΑΣΣΟΝΑΣ

Στοιχεία Δείγματος:	
Περιγραφή δείγματος	Καρύδια
Χαρακτηρισμός Πελάτη	ΚΑΡΥΔΙΑ
Δειγματοληψία	Από πελάτη κατά δήλωσή του: ΠΕΛΑΤΗΣ
Ημερομηνία Παραλαβής	05/11/2026
Ημερομηνία Καταχώρισης	05/11/2026
Κατάσταση δείγματος κατά την παραλαβή	Κανονική

Τα αποτελέσματα αυτής της έκθεσης ισχύουν για τα δείγματα που αναλύθηκαν.
Η παρούσα έκθεση δοκιμών επιτρέπεται να αναπαραχθεί αποκλειστικά και μόνο σε πλήρη μορφή.
Απαγορεύεται οποιαδήποτε μερική ή αποσπασματική αναπαραγωγή της ή/και τροποποίησή αυτής.

HEADQUARTERS				
THESSALONIKI LABORATORIES	**ATHENS LABORATORIES**	**THESSALONIKI LABORATORIES B**	**CRETE'S LABORATORIES**	**RHODES FACILITIES**
Industrial Area of Thessaloniki P.O. BOX 48, GR-57022 Sindos, Thessaloniki T: +30 2310 797479 E: info@veltialabs.gr REGISTRATION NUMBER: 57984004000 veltialabs.gr	1st km Olympiakou Skopeftiriou P.O. BOX 159, GR-19003 Markopoulo Athens T: +3022990 63910 E: athens@veltialabs.gr	3-1 Aristotelous GR-55133 Kalamaria Thessaloniki T: +302310 436818 E: info@veltialabs.gr	1, Petraki & Ekavis Ave. GR-71304 Heraklion Crete T: +30 28160 07224 E: info@veltialabs.gr	137 Laz. Tiliakou GR-85100 Rhodes T: +30 22410 23855 E: info@veltialabs.gr

VELTIA LAB CHECK

Αποτελέσματα Αναλύσεων

Κωδικός δείγματος **2026-132963** **Είδος ανάλυσης:** **Προσδιορισμός Υπολειμμάτων Φυτοφαρμάκων**
Περίοδος Ανάλυσης **09/11/2026 - 10/11/2026**

Υπολογισμοί με βάση τη βιβλιοθήκη: EU MRLs & ARfDs

Δραστική	Μέτρηση (mg/kg)	MRL (mg/kg)	ARfD (mg/kg)	VF	IESTI (mg/kg)	% Utilization MRL	% Utilization ARfD	EU MRL Source
ΔΕΝ ΠΟΣΟΤΙΚΟΠΟΙΗΘΗΚΑΝ ΔΡΑΣΤΙΚΕΣ								

Calculation Model : EFSA PRIMo Vers. 3.1

Δήλωση Συμμόρφωσης: Το δείγμα είναι σε συμμόρφωση με τα νόμιμα μέγιστα όρια υπολειμμάτων (MRLs) του Κανονισμού 396/2005/ΕΚ και των τροποποιήσεών του, με βάση τον Κανόνα Απόφασης του SANTE/11312/2021 v2026 (x- U≤MRL, όπου x το αποτέλεσμα και U η διευρυμένη (k=2) αβεβαιότητα. Η δήλωση συμμόρφωσης δεν εφαρμόζεται σε δείγματα που χαρακτηρίζονται ως βιολογικά βάσει των απαιτήσεων του Κανονισμού (ΕΕ) 2018/848.

1. Οι υπόλοιπες δραστικές δεν ποσοτικοποιήθηκαν στο όριο αναφοράς των μεθόδων.
2. Αβεβαιότητα μεθόδου (k=2, 95%): ±50%
3. Πληροφορίες για Ε.Ε. ανώτατα επιτρεπτά όρια και λοιπά δεδομένα:
   https://food.ec.europa.eu/plants/pesticides/eu-pesticides-database_en
4. Αριθμός ευρημάτων: Αριθμός ποσοτικοποιημένων δραστικών μη συμπεριλαμβανομένων των μεταβολιτών.
5. Η εταιρεία δεν φέρει καμία ευθύνη για μεταβολές των MRLs, των ARfDs και των λοιπών υπολογιστικών δεδομένων που καταχωρούνται στη βάση δεδομένων της ΕΕ μετά την ημερομηνία έκδοσης του παρόντος πιστοποιητικού. Τα αναγραφόμενα όρια αντιστοιχούν αποκλειστικά στις τιμές που ήταν διαθέσιμες και εν γνώσει μας κατά την ημερομηνία έκδοσής του.
6. Ο χρόνος τήρησης του αντιδείγματος ορίζεται στον 1 μήνα από την ημερομηνία έκδοσης του παρόντος πιστοποιητικού (στις κατάλληλες συνθήκες διατήρησης), εκτός και αν ο πελάτης εγγράφως έχει ορίσει διαφορετικά. Εξαιρούνται ευαλλοίωτα δείγματα, τα οποία δεν μπορούν να συντηρηθούν για το προαναφερθέν χρονικό διάστημα.
7. Τα MRLs δηλώνονται χωρίς να λαμβάνονται υπόψη οι ενδεχόμενοι παράγοντες επεξεργασίας και πιθανά πρόσθετα συστατικά

Κωνσταντίνος Καμπέρης / Αναλυτικός Χημικός, M.Sc
Konstantinos Kamperis / Analytical Chemist, M.Sc



Προϊστάμενος Εργαστηρίου Υπολειμμάτων Αθηνών
Head of Residue Laboratory Athens

VELTIA LABS FOR LIFE
A Tentamus Company

(P065) Pesticides residues in Oil seeds with QTOF & GC MS-MS & Dith./(P065) Υπολείμματα Φ/Φ σε Ελαιούχους σπόρους με QTOF & GC MS-MS & Dith.

(P065) LC-qTOF & GC-MS/MS & Dithiocarbamates (615 ingredients)

· Μέθοδος ανάλυσης / Method of analysis: OB.05.048, Modified method using LC-qTOF & GCMS-MS based on: 1. EN 15662:2018, 2. SANTE/ lat. ed. of the European Commission

· Τα Όρια Αναφοράς της μεθόδου είναι στο 0.01 mg/Kg (ppm) /The Reporting Limit of the method is at 0.01 mg/Kg (ppm)

· Οι παρακάτω δραστικές αναλύθηκαν με τις προαναφερόμενες μεθόδους / The following active ingredients were analyzed with the above-mentioned methods

2,6 Dichlorobenzamide , 2.3.5-Trimethacarb, 2-phenylphenol (sum of 2-phenylphenol and its conjugates, expressed as 2-phenylphenol) (R)(F), 4,4-Dichlorobenzophenone, Acephate, Acetamiprid (R), Acetamiprid-N-Desmethyl*, Acetochlor, Acibenzolar-S methyl (#H), Aclonifen, Acrinathrin (F), Alachlor, Albendazole, Aldicarb, aldicarb sulfone*, aldicarb sulfoxide, Aldrin and Dieldrin (Aldrin and dieldrin combined expressed as dieldrin) (F), Allethrin*, Allidochlor, Alpha-Cypermethrin (aka alphamethrin), Ametoctradin (R)(F), Ametryn, Amicarbazone, Aminocarb , Amisulbrom, Amitraz metabolite BTS 27271, Ancymidol, Anilofos, Anthraquinone, Anthraquinone (F), Aramite (F)*, Aspon, Atraton, Atrazine (F), Atrazine-desethyl, Atrazine-desisopropyl, Azaconazole, Azamethiphos, Azimsulfuron*, Azinphos-ethyl (F), Azinphos-methyl (F), Aziprotryne, Azoxystrobin, BAC-C08*, BAC-C10, BAC-C12, BAC-C14, BAC-C16, BAC-C18, Barban (F), Beflubutamid, Benalaxyl, Benazolin-ethyl ester, Bendiocarb, Benfluralin (F), Benoxacor, Bensulfuron-methyl, Bensulide, Benthiavalicarb-isopropyl (sum of benthiavalicarb-isopropyl (KIF 230 R-L) and its RS enantiomer (KIF 230-S-D)), Benzovindiflupyr*, Benzoximate, Benzoylprop ethyl, Benzthiazuron, Beta-Cyfluthrin, Bifenazate *, Bifenox (F), Bifenthrin (sum of isomers) (F), Biphenyl, Bitertanol (sum of isomers) (F), Bixafen (R)(F), Boscalid (R)(F), Bromacil, Bromadiolone*, Bromfenvinfos, Bromobutide, Bromocyclen, Bromophos, Bromophos-ethyl (F), Bromopropylate (F), Bromuconazole (sum of diasteroisomers) (F), BTS44595 Prochloraz metabolite, BTS44596 Prochloraz metabolite, Bupirimate (R)(F)(A), Buprofezin (F), Butachlor, Butafenacil, Butamifos, Butocarboxim sulfoxide, Butoxycarboxim*, Butralin, Buturon, Butylate*, Cadusafos, Cambendazole, Carbaryl (F), Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim) (R), Carbetamide (sum of carbetamide and its S isomer), Carbofuran, Carbofuran 3-hydroxy, Carbofuran keto, Carbophenothion, Carbophenotion methyl, Carboxin, Carfentrazone ethyl (#H), Carpropamide, Chlorantraniliprole (F), Chlorbenside (F), Chlorbromuron, Chlorbufam (F), Chlordane (sum of cis- and trans-chlordane) (R)(F), Chlordimeform*, Chlorfenapyr, Chlorfenprop methyl, Chlorfenson (F), Chlorfenvinphos (F), Chlorfluazuron, Chloridazon, Chlormephos, Chlorobenzilate (F), Chloroneb, Chlorothalonil (R), Chlorotoluron, Chloroxuron (F), Chlorpropham (R), Chlorpyrifos (F), Chlorpyrifos-methyl (R)(F), Chlorsulfuron*, Chlorthal-dimethyl, Chlorthion, Chlorthiophos, Chlozolinate (F), Chromafenozide, Cinidon-ethyl (sum of cinidon ethyl and its E-isomer), Cis-1,2,3,6-Tetrahydrophthalimide (THPI), Clethodim*, Climbazole, Clodinafop-propargyl (#H), Clofentezine (R), Clomazone, Cloquintocet mexyl, Clothianidin, Coumaphos, Coumatetralyl*, Coumoxystrobin*, Crimidine, Crotoxyphos, Crufomate, Cyanofenphos, Cyanophos, Cyantraniliprole, Cyazofamid, Cycloate, Cycloxydim, Cycluron, Cyflufenamid (sum of cyflufenamid (Z-isomer) and its E-isomer, expressed as cyflufenamid) (R)(A), Cyflumetofen (sum of isomers), Cyfluthrin (cyfluthrin including other mixtures of constituent isomers (sum of isomers)) (F), Cyhalofop-butyl, Cymoxanil, Cypermethrin (cypermethrin including other mixtures of constituent isomers (sum of isomers)) (F), Cyprazin, Cyproconazole (F), Cyprodinil (R)(F), Cythioate, DDD-o,p, DDE-o,p, DDT (sum of p,p´-DDT, o,p´-DDT, p-p´-DDE and p,p´-TDE (DDD) expressed as DDT) (F), DDT-o,p, DDT-p,p, DEET (N,N-Diethyl-m-toluamid), Deltamethrin (cis-deltamethrin) (F), Demeton-O, Demeton-S-methyl, Demeton-S-methyl sulfoxide, Demeton-S-methyl sulphone, Desmedipham, Desmetryn, Diafenthiuron*, Dialifos, Diazinon (F), Dichlobenil*, Dichlofenthion, Dichlofluanid, Dichloran, Dichlormid, Dichlorvos, Diclobutrazol, Diclofop-methyl, Dicloran*, Diclosulam*, Dicofol (sum of p, p' and o,p' isomers) (F), Dicrotophos, Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C8, C10 and C12), Dieldrin, Diethofencarb, Difenoconazole, Difenoxuron, Diflubenzuron (R)(F), Diflufenican (F), Dimefox*, Dimefuron, Dimethachlor, Dimethenamid, Dimethirimol, Dimethoate, Dimethomorph (sum of isomers), Dimethylvinphos, Dimoxystrobin (R), Diniconazole (sum of isomers), Dinobuton, Dinotefuran, Dioxabenzofos, Dioxacarb, Dioxathion (sum of isomers) (F), Diphenamid (aka difenamide), Diphenylamine, Dipropetryn, Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton) (F), Ditalimfos, Dithiopyr, Diuron, DMSA (deg. diclufluanid), Dodemorph, Dodine, Drazoxolon, Edifenphos, Emamectin B1a and its salts, expressed as emamectin B1a (free base) (R)(F)*, Endosulfan (sum of alpha- and beta-isomers and endosulfan-sulphate expressed as endosulfan) (F), Endrin (F), EPN, Epoxiconazole (F), EPTC (ethyl dipropylthiocarbamate), Esfenvalerate, Etaconazole, Ethalfluralin, Ethiofencarb, Ethiofencarb-sulfone, Ethiofencarb-sulfoxide, Ethion, Ethiprole, Ethirimol (R)(F)(A), Ethofumesate, Ethoprophos, Ethoxyquin (F), Etobenzanid, Etofenprox (F), Etoxazole, Etrimfos, Famphur, Fenamidone, Fenaminostrobin*, Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos), Fenarimol, Fenazaquin (F), Fenbuconazole (sum of constituent enantiomers), Fenchlorazole-ethyl, Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos), Fenfluthrin, Fenfuram, Fenhexamid (F), Fenitrothion, Fenobucarb, Fenoxanil , Fenoxaprop-P-ethyl, Fenoxycarb, Fenpiclonil, Fenpropathrin, Fenpropidin, Fenpropimorph (sum of isomers) (R)(F), Fenpyroximate (R)(F)(A), Fenson (aka fenizon), Fensulfothion, Fenthion, Fenthion oxon-sulfone, Fenthion sulfone, Fenthion sulfoxide, Fenuron, Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (R)(F), Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F), Fipronil sulfide, Flamprop-isopropyl, Flonicamid , Florasulam*, Fluazifop-P-butyl, Fluazuron, Flubendiamide (F), Fluchloralin , Flucythrinate (flucythrinate including other mixtures of constituent isomers (sum of isomers)) (F), Fludioxonil (R)(F), Flufenacet, Flufenoxuron (F), Flumetralin (F)*, Flumetralin (F), Flumioxazine*, Fluometuron, Fluopicolide, Fluopyram (R), Fluoroglycofen ethyl, Fluotrimazole, Fluoxastrobin (sum of fluoxastrobin and its Z-isomer) (R), Flupyradifurone, Fluquinconazole (F), Fluridone, Flurochloridone, Fluroxypyr-1-methyl heptyl*, Flurprimidole, Flurtamone, Flusilazole (R)(F), Fluthiacet-methyl, Flutolanil (R), Flutriafol, Fluvalinate (sum of isomers) resulting from the use of tau-fluvalinate (F), Fluxapyroxad (F), Folpet, Folpet (sum of folpet and phtalimide, expressed as folpet) (R), Fonofos, Forchlorfenuron, Formothion, Fosthiazate, Furalaxyl, Furathiocarb, Halfenprox (aka brofenprox), Halosulfuron methyl*, Haloxyfop-2-ethoxyethyl (#H), Haloxyfop-methyl (#H), HCH-d (Delta), Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor) (F), Heptenophos, Hexachlorobenzene (F)*, Hexachlorocyclohexane (HCH), alpha-isomer (F), Hexachlorocyclohexane (HCH), beta-isomer (F), Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer, Hexaconazole, Hexazinone, Hexythiazox (any ratio of constituent isomers) (F), Icaridin (Picaridin), Imazamethabenz-methyl, Imazaquin*, Imibenconazole, Imidacloprid, Inabenfide, Indoxacarb (sum of indoxacarb and its R enantiomer) (F), Iodofenphos, Ipconazole (sum of constituent isomers) (F), Iprobenfos, Iprodione (R), Iprovalicarb, Isazofos, Isocarbamid, Isocarbophos, Isodrin , Isofenphos, Isofenphos-methyl, Isoprocarb, Isopropalin, Isoprothiolane, Isoproturon, Isopyrazam (F), Isoxaben, Isoxadifen-ethyl, Isoxaflutol, Isoxathion, Kresoxim-methyl (R), Lactofen, Lambda-Cyhalothrin (F) (R) , Lenacil, Leptophos, Lindane (Gamma-isomer of hexachlorocyclohexane (HCH)) (F), Linuron, Lufenuron (any ratio of constituent isomers) (F), Malathion (sum of malathion and malaoxon expressed as malathion), Mandipropamid (any ratio of constituent isomers), Mecarbam, Mefenacet, Mefenpyr diethyl, Mepanipyrim, Mephosfolan, Mepronil, Metaflumizone (sum of E- and Z- isomers), Metalaxyl, Metamitron, Metazachlor, Metconazole (sum of isomers) (F), Methabenzthiazuron, Methacrifos, Methamidophos, Methidathion, Methiocarb, Methiocarb sulfone, Methoprotryne, Methoxychlor (F), Methoxyfenozide (F), Metolachlor, Metoxuron, Metrafenone (F), Metribuzin, Mevinphos (sum of E- and Z-isomers), Mexacarbate, Mirex*, Molinate*, Monalide, Monocrotophos, Monolinuron, Monuron, Myclobutanil (sum of constituent isomers) (R), N-(2,4-Dimethylphenyl) formamide, N.N-Dimethyl-N'-p-tolylsulphamide (DMST), Napropamide (sum of isomers), Neburon, Nicosulfuron*, Nitenpyram*, Nitralin, Nitrapyrin , Nitrofen (F), Nitrothal-isopropyl, Norflurazon, Novaluron (sum of constituent isomers) (F), Nuarimol, Octachlorodipropyl ether (S 421), Ofurace, Omethoate, Orbencarb, Oxadiargyl, Oxadiazon, Oxadixyl, Oxamyl oxime, Oxfendazole, Oxycarboxin, Oxy-chlordane, Oxydemeton-methyl, Oxyfluorfen (F), Paclobutrazol (sum of constituent isomers), Paraoxon ethyl, Paraoxon-methyl, Parathion (F), Parathion-methyl, Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl), Pebulate, Penconazole (sum of constituent isomers) (F), Pencycuron, Pendimethalin (F), Penflufen (sum of isomers) (F), Penfluron, Pentachloroanisole, Pentachloroanline, Penthiopyrad (F), Permethrin (sum of isomers), Pethoxamid, Phenkapton *, Phenmedipham, Phenothrin (phenothrin including other mixtures of constituent isomers (sum of isomers)) (F), Phenthoate, Phorate, phorate sulfone, Phorate sulfoxide, Phosalone, Phosmet (phosmet and phosmet oxon expressed as phosmet) (R), Phosphamidon, Phoxim (F), Phthalimide, Picolinafen, Picoxystrobin (F), Pinoxaden, Piperonyl butoxide, Piperophos, Pirimicarb (R), Pirimicarb-desmethyl-formamido, Pirimiphos-ethyl, Pirimiphos-methyl (F), Pretilachlor, Prochloraz , Procymidone (R), Profenofos (F), Profluralin, Profoxydim, Promecarb, Prometon, Prometryn, Propachlor, Propamocarb, Propanil, Propaquizafop, Propargite (F), Propazine, Propetamphos, Propham, Propiconazole (sum of isomers) (F), Propoxur, Propyzamide (R)(F), Proquinazid (R)(F), Prosulfocarb, Prothioconazole*, Prothioconazole-desthio, Prothiofos, Pymetrozine (R), Pyracarbolid, Pyraclostrobin (F), Pyraflufen-ethyl, Pyrazophos (F), Pyributicarb, Pyridaben (F), Pyridalyl*, Pyridaphenthion, Pyridat*, Pyrifenox, Pyriftalid, Pyrimethanil (R), Pyrimidifen, Pyriminobac-methyl-(E), Pyriminobac-methyl-(Z), Pyriofenone*, Pyriproxyfen (F), Pyroquilon, Quinalphos (F), Quinoclamine, Quinoxyfen (F), Quintozene, Quizalofop-P-ethyl (#H), Quizalofop-P-tefuryl (#H), Rabenzazole, Rotenone, Sebuthylazine, Secbumeton, Sethoxydim, Siduron, Silafluofen, Silthiofam, Simazine, Simeconazole, Spinetoram (sum of spinetoram-J and spinetoram-L) (F)(A), Spinosad (spinosad, sum of spinosyn A and spinosyn D) (F), Spirodiclofen (F), Spiromesifen, spirotetramat, Spirotetramat cis-keto-hydroxy, Spirotetramat enol-glucoside*, Spirotetramat mono-hydroxy, spirotetramat-enol*, Spiroxamine (sum of isomers) (R)(A), Sulfentrazone, Sulfotep, Sulfoxaflor (sum of isomers), Sulprofos, Sum of metobromuron and 4-bromophenylurea, expressed as metobromuron, TCMTB, Tebuconazole (R), Tebufenozide (F), Tebufenpyrad (F), Tebupirimphos, Tebutam (aka butam), Tecnazene (F), Tefluthrin (tefluthrin including other mixtures of constituent isomers (sum of isomers)) (F), Temephos, Terbacil, Terbufos, Terbufos-sulfon, Terbumeton, Terbuthylazine (R)(F), Terbutryn, Tetrachlorvinphos, Tetraconazole (sum of constituent isomers) (F), Tetradifon, Tetramethrin, Thenylchlor, Thiabendazole (R), Thiacloprid, Thiamethoxam, Thiazafluron, Thiazopyr, Thiobencarb, Thiodicarb, Thiofanox*, Thiometon sulfone, Thionazin, Thiophanate (ethyl), Thiophanate-methyl (R), Tolclofos-methyl (F), Tolfenpyrad, Tolyfluanid, Tralkoxydim (sum of the constituent isomers of tralkoxydim), Transfluthrin, Triadimefon, Triadimenol (any ratio of constituent isomers), Tri-allate, Triazamate*, Triazophos (F), Tribenuron-methyl, Tribufos, Trichlorfon*, Trichloronat, Tricyclazole, Trietazine, Trifloxystrobin (R)(F), Triflumizole: Triflumizole and metabolite FM-6-1(N-(4-chloro-2-trifluoromethylphenyl)-n-propoxyacetamidine), expressed as Triflumizole (R)(F), Triflumuron (F), Trifluralin, Triforine, Triticonazole, Uniconazole, Valifenalate (R)(A)*, Vamidothion, Vamidothion sulfone, Vamidothion sulfoxide, Vernolate, Vinclozolin, Zoxamide (sum of constituent isomers)

Dithiocarbamates (as CS2) GC-PFPD-S

· Μέθοδος ανάλυσης / Method of analysis: OB.05.029, Modified method using GC-MSMS based on: 1. ANDRE DE KOK ETAL,6TH EUROPEAN PESTICIDE RESIDUE WORKSHOP (2006), 2. SANTE/ lat. ed. of the European Commission

· Το όριο αναφοράς της μεθόδου είναι στο 0,05 mg/Kg (ppm), σύνολο εκφρασμένο ως CS2 / The Reporting Limit of the method is 0,05 mg/Kg (ppm), sum expressed as CS2

· Οι παρακάτω δραστικές αναλύθηκαν με τις προαναφερόμενες μεθόδους / The following active ingredients were analyzed with the above-mentioned methods

Maneb, Mancozeb, Metiram, Propineb, Thiram, Ziram

* Οι συγκεκριμένες ουσίες είναι εκτός του Πεδίου Διαπίστευσης (αριθμός Πιστοποιητικού 44), σύμφωνα με το πρότυπο ΕΛΟΤ ΕΝ ISO 17025:2017 / The specific compounds are not included to the Scope of Accreditation (Certificate number 44), according standard ELOT EN ISO 17025:2017

#H - After detection quantification by Hydrolysis method

**S - After detection quantification by Single method